

10. References

- Akers, R.M., 1977
Radial fibers and astrocyte development in the rat cerebral cortex
Anat. Rec., 187: 520
- Akwa, Y., Sananes, N., Gounezou, M. Robel, P.I., Baulieu, E.E., and Le Goascogne, C., 1993
Astrocytes and neurosteroids: Metabolism of pregnenolone and dehydroepiandrosterone. Regulation by cell density
J. Cell. Biol., 121: 135-43
- Amos, L.A. and Klug, A., 1974
Arrangement of subunits in flagellar microtubules
J. Cell. Sci., 14: 523-37
- Anderson, M.J., Swanson, K.A., Waxman, S.G., and Eng, L.F., 1984
Glial fibrillary acidic protein i regenerating teleost spinal cord
J. Histochem. Cytochem., 32: 1099-1106
- Anthes, D.L., Leboutil, J.C., and Petit, T.L., 1993
Structure and plasticity of newly formed adult synapses: a morphometric study in the rat hippocampus
Brain Res., 626: 50-62
- Apáthy, S., 1897
Das leitende Element des Nervensystems und seine topographischen Beziehungen zu den Zellen
Mittheilungen aus der Zoologischen Station zu Neapel, 12: 495-748
- Arai, Y., Matsumoto, A., and Nishizuka, N., 1986
Synaptogenesis and neuronal plasticity to gonadal steroids: implications for the development of sexual dimorphism in the neuroendocrine brain
in: *Current Topics in Neuroendocrinology*, eds.: Ganten, D. and Pfaff, D., Vol. 7, Springer Verlag Berlin, pp 291-307
- Arnold, A.P. and Gorski, R.A., 1984
Gonadal steroid induction of structural sex differences i the central nervous system
Rev. Neurosci., 7: 403-42
- Artymyshyn, P. and Murray, M., 1985
Substance P in the interpeduncular nucleus of the rat: normal distribution and the effects of deafferentation
J. Comp. Neurol., 231: 78-90
- Baas, P.W., Deitch, J.S., Black, M.M. and Bunker, G.A., 1988
Polarity orientation of microtubules in hippocampal neurons: uniformity in the axon and nonuniformity in the dendrite
Proc. Natl. Acad. Sci. USA, 85: 8335-9
- Barnes, C., 1994
Normal aging: Regionally specific changes in hippocampal synaptic transmission
Trends Neurosci., 17: 13-8
- Barrett, C.P., Guthe, L., Donati, E.J., and Krikorian, J.G., 1981
Astroglial reaction in the gray matter of lumbar segments after midthoracic transection of the adult spinal cord
Exp. Neurol., 73: 365-77

- Bascó, E., Woodhams, P.L., Hajós, F., and Balázs, R., 1981
 Immunocytochemical demonstration of glial fibrillary acidic protein in mouse tanyocytes
Anat. Embryol., 162: 217-22
- Baulieu, E.E., 1981
 Steroid hormones in the brain: Several mechanisms?
 in: *Steroid Hormone Regulation of the Brain*, eds.: Fuxé, K., Gustafsson, J.A. and Wettenberg, L., Pergamon Press, Oxford, pp. 3-14
- Ben-Ari, Y., Tremblay, E., Ottersen, O.P., and Naquet, R., 1979
 Evidence suggesting secondary epileptogenic lesion after kainic acid: pretreatment with diazepam reduces distant but not local brain damage
Brain Res., 165: 362-5
- Berry, M., Maxwell, W.L., Logan, A., Mathewson, A., McConnell, P., Ashhurst, D.E., and Thomas, G.H., 1983
 Deposition of scar tissue in the central nervous system
Acta Neurochirurgica Suppl., 32: 31-53
- Beyer, C., Epp, B., Fassberg, J., Reisert, I., and Pilgrim, C., 1990
 Region and sex-related differences in maturation of astrocytes in dissociated cell cultures of embryonic rat brain
Glia, 3: 55-64
- Bigbee, J.W., Bigner, D.D., Pogram, C., and Eng, L., 1983
 Study of the glial fibrillary acidic protein in a human glioma cell line grown in culture and as a solid tumor
J. Neurochem., 40: 460-7
- Bignami, A. and Dahl, D., 1973
 Differentiation of astrocytes in the cerebellar cortex and the pyramidal tracts of the newborn rat: An immunofluorescence study with antibodies to a protein specific to astrocytes
Brain Res., 49: 393-402
- Bignami, A. and Dahl, D., 1976
 The astroglial response to stabbing. Immunofluorescence studies with antibodies to astrocyte-specific protein (GFA) in mammalian and submammalian vertebrates
Neuropath. and Appl. Neurobiol., 2: 99-110
- Bignami, A., 1984
 Glial fibrillary acidic (GFA) protein in Müller glia. Immunofluorescence study of the goldfish retina
Brain Res., 300: 175-8
- Bignami, A., Eng, L.F., Dahl, D., and Uyeda, C.T., 1972
 Localization of the glial fibrillary acidic protein in astrocytes by immunofluorescence
Brain Res., 43: 429-35
- Bignami, A., Dahl, A., and Reuger, D.C., 1980
 Glial fibrillary acidic (GFA) protein in normal neural cells and in pathological conditions
Adv. Cell. Neurobiol., 1: 285-310
- Bignami, A., Raju, T., and Dahl, D., 1982
 Localization of vimentin, the nonspecific intermediate filament protein, in embryonal glia, and in early differentiating neurons
Dev. Biol., 91: 286-95
- Björklund, H., Dahl, D., Haglid, K., Rosengren, L., and Olson, L., 1983
 Astrocytic development in fetal parietal cortex grafted to cerebral and cerebellar cortex of immature rats
Dev. Brain Res., 9: 171-80

- Björklund, H., Eriksdotter-Nilsson, M., Dahl, D., Rose, G., Hoffer, B., and Olson, L., 1985
 Image analysis of GFA-positive astrocytes from adolescence to senescence
Exp. Brain Res., 58: 163-70
- Black, M.M. and Greene, L.A., 1982
 Changes in colchicine susceptibility of microtubules associated with neurite outgrowth: studies with nerve growth factor-responsive PC12 pheochromocytoma cells
J. Cell Biol., 95: 379-86
- Block, F. and Schwarz, M., 1994
 Expressions of GFAP in the striatum and its projection areas in response to striatal quinolinic acid lesion in rats
NeuroReport, 5: 2237-40
- Bonfanti, L., Olive, S., Poulain, D.A., and Theodosius, D.T., 1992
 Mapping of the distribution of polysialylated neural cell adhesion molecule throughout the central nervous system of the adult rat: an immunohistochemical study
Neurosci., 49: 419-36
- Bovolenta, P., Wandosell, F. and Nieto-Sampedro, M., 1992
 CNS glial scar tissue: a source of molecules which inhibit central neurite outgrowth
Prog. Brain Res., 94: 367-79
 cím
- Bovolenta, P., Wandosell, F., and Nieto-Sampedro, M., 1993
 Characterization of a neurite outgrowth inhibitor expressed after CNS injury
Eur. J. Neurosci., 5: 454-65
- Bray, D. and Bunge, M.B., 1981
 Serial analysis of microtubules in culture rate sensory axons
J. Neurocytol., 10: 589-605
- Bullon, M.M., Alvarez-Gago, T., Fernandez-Ruiz, B., and Aguirre, C., 1984
 Glial fibrillary acidic protein in rat spinal cord: An immunoperoxidase study in semithin sections
Brain Res., 309: 79-84
- Burgoyne, R.D., 1991
 High molecular weight microtubule-associated proteins of brain
 in: The neuronal cytoskeleton; ed: Burgoyne, R.D., Wiley-Liss, New York, pp 75-92
- Burry, R.W., Kniss, D.A., and Ho, R.H., 1985
 Enhanced survival of apparent presynaptic elements on polylysine-coated beads by inhibition of non-neuronal cell proliferation
Brain Res., 346: 42-50
- Burton, P.R. and Paige, J.L., 1981
 Polarity of axoplasmic microtubules in the olfactory nerve of the frog
Proc. Natl. Acad. Sci. USA, 78: 3269-73
- Burton, P.R., 1988
 Dendrites of mitral cell neurons contain microtubules of opposite polarity
Brain Res., 473: 107-15
- Cammermeyer, J., 1965
 Histiocytes, juxtagascular mitotic cells and microglia cells during retrograde changes in the facial nucleus of rabbits of varying age
Erg. Anat. u. Entw.gesch., 38: 195-229

- Cavanagh, J.B., Nolan, C.C., and Brown, A.W., 1990
 Glial cell intrusions actively remove detritus due to toxic chemicals from within nerve cells
NeuroToxicology, 11: 1-12
- Chalfie, M. and Thomson, J.N., 1979
 Organization of neuronal microtubules in the nematode *Caenorhabditis elegans*
J. Cell Biol., 82: 278-89
- Chen, S. and Hillman, D.E., 1992
 Transient c-fos expression and dendritic spine plasticity in hippocampal granule cells
Brain Res., 577: 169-74
- Chen, W.-P., Witkin, J.W., and Silverman, A.-J., 1990
 Sexual dimorphism in the synaptic input to gonadotropin releasing hormone neurons
Endocrinol., 126: 695-702
- Chou, Y.C., Luttge, W.G., and Sumners, C., 1990
 Characterisation of glucocorticoid Type II receptors in neuronal and glial cultures from rat brain
J. Neuroendocrin., 2: 29-38
- Chou, Y.C., Luttge, W.G., and Sumners, C., 1991
 Expression of minocorticoid Type I and glucocorticoid Type II receptors in astrocyte glia as a function of time in culture
Dev. Barin Res., 61: 55-61
- Chowen, J.A., Argente, J., González-Parra, S., and García-Segura, L.M., 1993
 Differential effects of the neonatal and adults sex steroid environments on the organization and activation of hypothalamic growth hormone-releasing hormone and somatostatin neurons
Endocrinol., 136: 2792-2802
- Chowen, J.A., Busiguina, S., and García-Segura, L.M., 1995
 Sexual dimorphic and sex steroid modulation of glial fibrillary acidic protein messenger RNA and immunoreactivity levels in the rat hypothalamus
Neurosci., 69: 519-32
- Chowen-Breed, J.A., Clifton, D.K., and Steiner, R.A., 1989
 Regional specificity of testosterone regulation of proopiomelanocortin gene expression i the arcuate nucleus of the male rat
Endocrinol., 124: 2875-81
- Clarke, S.R., Shetty, A.K., Bradley, J.L., and Turner, D.A., 1994
 Reactive astrocytes express the embryonic intermediate neurofilament nestin
NeuroReport, 5: 1885-8
- Collier, T. and Coleman, P., 1991
 Divergence of biological and chronological aging: Evidence from rodent studies
Neurobiol. Aging, 12: 685-93
- Commons, D. and Yahr, P., 1984
 Adult testosteron levels influence the morphology of a sexually dimorphic area in the Mongolian gerbil brain
J. Comp. Neurol., 224: 132-40

- Contestabile, A. and Fonnum, F., 1983
 Cholinergic and GABAergic forebrain projections to the habenula and interpeduncular nucleus: surgical and kainic acid lesions
Brain Res., 275: 287-97
- Contestabile, A., Villani, L., Fasolo, A., Franzoni, M. F., Gribaldo, L., Øktedalen, O., and Fonnum, F., 1987
 Topography of cholinergic and substance P pathways in the habenulo-interpeduncular system: An immunocytochemical and microchemical approach.
Neurosci., 21: 253-70
- Cortez, S.C., McIntosh, T.K., and Noble, L.F., 1989
 Experimental fluid percussion brain injury. Vascular disruption and neuronal and glial alterations.
Brain Res., 482: 271-82
- Cuello, A.C., 1983
 Immunohistochemistry
 IBRO Handbook Series: Methods in the Neurosciences, Vol. 3., John Wiley, Chichester
- D'Amelio, F.E., Gibbs, M.A., Mehler, W.R., and Eng, L.G., 1985
 Immunocytochemical localization of glial fibrillary acidic protein in the area postrema of the cat: Light and electron microscopic study
Brain Res., 330: 146-9
- Dahl, D. and Bignami, A., 1977
 Preparation of antisera to neurofilament protein from chicken brain and human sciatic nerve
J. Comp. Neurol., 176: 645-57
- Dahl, D. and Bignami, A., 1985
 Intermediate filaments in nervous tissue
 in: Cell and muscle motility; ed: Shay, J.W., Plenum Press, New York, pp. 75-96
- Dahl, D., Bignami, A., Weber, K., and Osborn, M., 1981
 Filament proteins in rat optic nerves undergoing Wallerian degeneration: Localization of vimentin, the fibroblastic 100 Å filament protein in normal and reactive astrocytes
Exp. Neurol., 73: 496-506
- Dahl, D., Björklund, H., and Bignami, A., 1986
 Immunological markers in astrocytes
 in: Astrocytes: Cell biology and pathology of astrocytes, eds: Fedoroff, S. and Vernadakis, A., Vol. 3, Academic Press, pp. 1-27
- Day, J.R., Laping, N.J., McNeill, T.H., Schreiber, S.S., Pasinetti, G., and Finch, C.E., 1990
 Castration enhances expression of glial fibrillary acidic protein and sulfated glycoprotein-2 in the intact and lesion-altered hippocampus of the adult male rat
Mol. Endocrin., 4: 1995-2002
- Day, J.R., Laping, N.J., Lampert-Etchells, M., Brown, S.A., O'Callaghan, J.P., McNeill, T.H., and Finch, C.E., 1993
 Gonadal steroids regulate the expression of glial fibrillary acidic protein in the adult male rat hippocampus
Neurosci., 55: 435-43
- Day, J.R., Frank, A.T., O'Callaghan, J.P., Jones, B.C., and Anderson, J.E., 1998
 The effect of age and testosterone on the expression of glial fibrillary acidic protein in the rat cerebellum
Exp. Neurol., 151: 343-6

- de Virtu, F., Picoret, R., Jacque, C., and Tixier-Vidal, A., 1981
 Glial fibrillary acidic protein: A cellular marker of tanycytes in the mouse hypothalamus
Dev. Neurosci., 4: 457-60
- DeVoogd, T. and Nottebohm, F., 1985
 Gonadal hormones induce dendritic growth in the adult avian brain
Science, 214: 202-4
- DeVries, G.J., Best, W., and Sluiter, A.A., 1984
 Gonadal hormone actions on the morphology of the vasopressinergic innervation of the adult rat brain
Brain Res., 298, 141-5
- Draberova, E., Lukas, Z., Ivanyi, D., Viklicky, V. and Draber, P., 1998
 Expression of class III beta-tubulin in normal and neoplastic human tissues
Histochem. Cell Biol., 109 :231-9
- Duchen, L.W., 1984
 General pathology of neurons and neuroglia.
 in: Greenfield's Neuropathology, 4th edn., eds.: Adams, J.H., Corsellis, J.A.N. and Duchen, L.W., Edward Arnold, London, pp.1-52
- Dustin, P. 1984
 Microtubules
 Springer-Verlag, Berlin and New York
- Eng, L.F., 1985
 Glial fibrillary acidic protein (GFAP): The major protein of glial intermediate filaments in differentiated astrocytes
J. Neuroimmunol., 8: 203-14
- Eng, L.F., Vanderhaeghen, J.J., Bignami, A., and Gerstl, B., 1971
 An acidic protein isolated from fibrous astrocytes
Brain Res., 28: 351-4
- Faissner, A. and Steindler, D., 1995
 Boundaries and inhibitory molecules in developing tissues
Glia, 13: 233-54
- Fedoroff, S., Houle, J., and Kalnins, V.I., 1982-83
 Intermediate filaments and neural cell differentiation
Int. J. Neurol., 16-17: 30-45
- Fedoroff, S., White, R., Subrahmanyam, L., and Kalnins, V.I., 1983
 Astrocyte cell lineage. II. Mouse fibrous astrocytes and reactive astrocytes in cultures have vimentin and GFP-containing intermediate filaments
Dev. Brain Res., 7: 303-15
- Federoff, S., McAuley, W.A.J., Houle, J.D., and Devon, R.M., 1984
 Astrocyte cell lineage. V. Similarity of astrocytes that form in the presence of dBcAMP in cultures to reactive astrocytes *in vivo*.
J. Neurosci Res., 12: 14-27

- Filliatreau, G. and Di Giamberardino, L., 1981
 Microtubule polarity in myelinated axons as studied after decoration with tubulin
Biol. Cell., 42: 69-72
- Finch, C. and Day, J., 1994
 Molecular biology of aging in the nervous system: A synopsis of the levels of mechanisms
 in: *Neurodegenerative Diseases*, ed.: Calne, D., Saunders, pp. 33-50
- Flynn, G. and Purich, D.L., 1987
 GTP regeneration influences interactions of microtubules, neurofilaments, and microtubules-associated proteins
in vitro
J. Biol. Chem., 262: 15443-7
- Forloni, G., Del Bo, R., Angeretti, N., Chiesa, R., Smiroldo, S., Doni, R., Ghibaudo, E., Salmona, M., Porro, M., Verga, L., et al., 1994
 A neurotoxic prion protein fragment induces rat astroglial proliferation and hypertrophy
Eur. J. Neurosci., 6: 1415-22
- Franke, W.W., Schmid, E., Osborn, M., and Weber, K., 1978
 Different intermediate-sized filaments distinguished by immunofluorescence microscopy
Proc. Natl. Acad. Sci. USA, 75: 5034-8
- Frisen, J., Johansson, C.B., Torok, C., Risling, M., and Lendahl, U., 1995
 Rapid, widespread, and long-lasting induction of nestin contributes to the generation of glial scar tissue after CNS injury
J. Cell Biol., 131: 453-64
- Garcia-Estrada, J., Del Rio, J.A., Luquin, S., Soriano, E., and Garcia-Segura, L.M., 1993
 Gonadal hormones down-regulate reactive gliosis and astrocyte proliferation after penetrating brain injury
Brain Res., 628: 271-8
- Garcia-Segura, L.M., Baetens, D., and Naftolin, F., 1986
 Synaptic remodelling in arcuate nucleus after injection of estradiol valerate in adult female rats
Brain Res., 366: 131-6
- Garcia-Segura, L.M., Suárez, I., Segovia, S., Tranque, P.A., Cales, J.M., Aguilera, P., Olmos, G., and Guillamon, A., 1988
 The distribution of glial fibrillary acidic protein in the adult rat brain is influenced by the neonatal levels of sex steroids
Brain Res., 456: 357-63
- Garcia-Segura, L.M., Luquin, S., Párducz, Á., and Naftolin, F., 1994a
 Gonadal hormone regulation of glial fibrillary acidic protein immunoreactivity and glial ultrastructure in the rat neuroendocrine hypothalamus
Glia, 10: 59-69
- Garcia-Segura, L.M., Chowen, J.A., Párducz, Á., and Naftolin, F., 1994b
 Gonadal hormones as promoters of structural synaptic plasticity: Cellular mechanisms
Prog. Neurobiol., 44: 279-307
- Garcia-Segura, L.M., Chowen, J.A., Dueñas, M., Párducz, Á., and Naftolin, F., 1996a
 Gonadal steroids and astroglial plasticity
Cell. Mol. Neurobiol., 16: 225-37

- Garcia-Segura, L.M., Chowen, J.A., and Naftolin, F., 1996b
 Endocrine glia: roles of glial cells in the brain actions of steroids and thyroid hormones and in the regulation of hormone secretion
Front Neuroendocrinol., 17: 180-211
- Geinisman, Y., Morell, F., and Detoledo, L., 1989
 Perforated synapses on double-headed dendritic spines: a possible structural substrate of synaptic plasticity
Brain Res., 480: 326-9
- Geisert, E.E. Jr., Johnson, H.G., and Binder, L.I., 1990
 Expression of microtubule-associated protein 2 by reactive astrocytes
Proc. Natl. Acad. Sci. USA, 87: 3967-71
- Gelfand, V.I. and Bershadsky, A.D., 1991
 Microtubule dynamics: mechanism, regulation and function
Annu Rev. Cell Biol., 7: 93-116
- Gereben, B., Gerics, B., Gálfi, P., Rudas, P., Hajós, F., and Jancsik, V., 1995
 Species-specificity of vimentin as revealed by immunocytochemical studies with the Vim3B4 and V9 monoclonal antibodies
Neurobiol., 4: 151-64
- Gerics, B.** and Hajós, F., 1994
³H-Thymidine autoradiographic study of glial- and neurogenesis in organotypic slice-cultures of the immature rat hippocampus
J. Brain Res., 35: 117-8
- Gerics, B.**, Hajós, F., Baker, R.E., and Balázs, R., 1993
 Morphological characterization of growth, differentiation and cell proliferation in long-term slice-cultures of immature rat hippocampus
Neurobiol., 1: 167
- Gerics, B.**, Szalay F., Halasy, K., and Hajós, F., 1999
 The effects of castration on GFAP-immunoreactivity in the rat interpeduncular nucleus
Neurobiol., 7: 313 – 4
- Gerics, B.**, Halasy, K., Szalay, F., and Hajós F. (2001)
 Sexual dimorphism of GFAP-immunoreactivity in the rat interpeduncular nucleus
Acta Biol. Hung., 52:
- Ghandour, M.S., Labourdette, G., Vincendon, G., and Gombos, G., 1981b
 A biochemical and immunohistochemical study of S-100 protein in developing rat cerebellum
Dev. Neurosci., 4:98-109
- Ghandour, M.S., Langeley, O.K., Labourdette, G., Vincendon, G., and Gombos, G., 1981a
 Specific and artifactual cellular localizations of S-100 protein: An astrocyte marker in rat cerebellum
Dev. Neurosci., 4: 66-78
- Goss, J., Finch, C., and Morgan, D., 1991
 Age-related changes in glial fibrillary acidic protein mRNA in the mouse brain
Neurobiol. Aging, 12: 165-70
- Graeber, M.B. and Kreuzberg, G.W., 1986
 Astrocytes increase in glial fibrillary acidic protein during retrograde changes of facial motor nucleus
J. Neurocytol., 15: 363-73

- Grafstein, B. and Forman, D.S., 1980
 Intracellular transport in neurons
Phys. Rev., 60: 1167-1283
- Guenard, V., Aebsicher, P., and Bunge, R.P., 1994
 The astrocyte inhibition of peripheral nerve regeneration is reversed by Schwann cells
Exp. Neurol., 126: 44-60
- Guenard, V., Frisch, G., and Wood, P.M., 1996
 Effects of axonal injury on astrocyte proliferation and morphology *in vitro*: implications for astrogliosis
Exp. Neurol., 137: 175-90
- Güldner, F.H., 1982
 Sexual dimorphisms of axo-spine synapses and postsynaptic density material in the suprachiasmatic nucleus of the rat
Neurosci. Lett., 28: 145-50
- Hajós, F., 1980
 The structure of the cleft material in spine synapses of rat cerebral and cerebellar cortices
Cell Tis. Res., 206: 477-86
- Hajós, F. and Bascó, E., 1984
 The surface-contact glia
Adv. Anat. Embryol. Cell. Biol., 84: 1-81
- Hajós, F. and Csillag, A., 1995
 The remote astroglial response (RAR): a holistic approach for evaluating the effects of lesions of the central nervous system
Neurochem. Res., 20: 571-7
- Hajós, F. and Gallatz, K., 1986
 Electron-microscopic demonstration of alpha-tubulin immunoreactivity in astroglia
Histochem., 84: 275-8
- Hajós, F. and Halasy, K., 1998a
 Pre- or postembedding immunocytochemistry: which to choose for the localization of glial fibrillary acidic protein (GFAP)?
J. Neurosci. Meth., 85: 99-105
- Hajós, F. and Halasy, K., 1998b
 Sexual dimorphism of GFAP and VIP immunoreactivities in the rat midbrain
Neurobiol., 6: p.198
- Hajós, F. and Kálmán, M., 1989
 Distribution of glial fibrillary acidic protein (GFAP)-immunoreactive astrocytes in the rat brain. II.
 Mesencephalon, rhombencephalon and spinal cord
Exp. Brain Res., 78, 164-73
- Hajós, F. and Zilles, K., 1995
 Areas of dormant glial fibrillary acidic protein (GFAP) immunoreactivity in the rat brain as revealed by automated image analysis of serial coronal sections
Neurobiol., 3: 3-11

- Hajós, F., Csillag, A. and Kálmán, M., 1979
 The morphology of microtubules in incubated synaptosomes. Effect of low temperature and vinblastine
Exp. Brain Res., 35: 387-93
- Hajós, F., Csillik, B., and Kálmán, M., 1990b
 Alterations in glial fibrillary acidic protein immunoreactivity in the upper dorsal horn of the rat spinal cord in the course of transganglionic degenerative atrophy and regenerative proliferation
Neurosci. Lett., 117: 8-13
- Hajós, F., Kálmán, M., Zilles, K., Schleicher, A., and Sótonyi, P., 1990a
 Remote astrocytic response as demonstrated by glial fibrillary acidic protein immunohistochemistry in the visual cortex of dorsal lateral geniculate nucleus lesioned rats
Glia, 3: 301-10
- Hajós, F., Gerics, B., and Turai, É., 1993
 Astroglial reaction following Wallerian degeneration in the rat visual cortex: proliferation or hypertrophy?
Neurobiology, 1: 123-31
- Hajós, F., Balázs, R., Baker, R.E., Gerics, B., and Nuijnick, R., 1994
 Structural maturation, cell proliferation and bioelectric activity in long-term slice-cultures of immature rat hippocampus
Int. J. Devl. Neurosci., 12: 87-97
- Hajós, F., Jancsik, V., and Sótonyi, P., 1996
 Remote astroglial response associated with synaptic degeneration results in a net increase of perisynaptic glial fibrillary acidic protein
Acta Biol. Hung., 47: 173-9
- Hajós, F., Halasy, K., Gerics, B., and Szalay, F., 1999
 Glial fibrillary acidic protein (GFAP)-immunoreactivity is reduced by castration in the interpeduncular nucleus of male rats
NeuroReport, 10: 2229-33
- Hajós, F., Halasy, K., Gerics, B., Szalay, F., Michaloudi, E., and Papadopoulos, G.C., 2000
 Ovarian cycle-related changes of glial fibrillary acidic protein (GFAP) immunoreactivity in the rat interpeduncular nucleus
Brain Res., 862: 43-8
- Hamill, G.S. and Lenn, N.J., 1984
 The subnuclear organization of the rat interpeduncular nucleus: a light and electron microscopic study
J. Comp. Neurol., 20 : 396-408
- Hamill, G.S., Olschowka, J.A., Lenn, N.J., and Jacobowitz, D.M., 1984
 The subnuclear distribution of substance P, cholecystochinin, vasoactive intestinal peptide, somatostatin, leu-enkephalin, dopamine-β-hydroxylase, and serotonin in the rat interpeduncular nucleus
J. Comp. Neurol., 226: 580-96
- Hamill, G.S., Skofitch, G.S., and Jacobowitz, D.M., 1986
 Immunocytochemical localization of atrial natriuretic factor, galanin and CGRP within the rat interpeduncular nucleus
Brain Res. Bull., 17: 83-93
- Hatten, M.E., Liem, R.K.H., Shelanski, M.L., and Mason, C.A., 1991
 Astroglia in CNS injury
Glia, 4: 233-43

- Hatton, J.D., Finkelstein, J.P., and U, S.H., 1993
 Native astrocytes do not migrate de novo or after local trauma
Glia, 9: 18-24
- Hawrylak N., Fleming J., and Salm A.K., 1998
 Dehydration and rehydration selectively and reversibly alter glial fibrillary acidic protein immunoreactivity in the rat supraoptic nucleus and subjacent glia limitans
Glia, 22: 260-271
- Heimann, R., Shelanski, M.L., and Liem, R.K.H., 1985
 Microtubules-associated proteins bind specifically to the 70 kDa neurofilament protein
J. Biol. Chem., 260: 12160-6
- Held, H., 1909
 Über die Neuroglia marginalis der menschlichen Grosshirnrinde
Monatsschrift f. Psychiatrie und Neurol., 26: 360-416
- Hirokawa, N., 1994
 Microtubule organization and dynamics dependent on microtubule-associated proteins
Curr. Opin. Cell Biol., 6: 74-81
- Hirokawa, N., Sobue, K., Kanda, K., Harada, A. and Yorifuji, H., 1989
 The cytoskeletal architecture of the presynaptic terminal and molecular structure of synapsin
J. Cell. Biol., 108: 111-26
- Holmes, K.C., Popp, D., Gebhard, W., and Kabsch, W., 1990
 Atomic model of the actin filament
Nature, 347: 44-9
- Holmin, S., Almqvist, P., Lendahl, U., and Mathisen, T., 1997
 Adult nestin-expressing subependymal cells differentiate to astrocytes in response to brain injury
Eur. J. Neurosci., 9: 65-75
- Hösli, E. and Hösli, L., 1993
 Receptors for neurotransmitters on astrocytes in the mammalian central nervous system
Prog. Neurobiol., 40: 477-506
- Hozumi, I., Chiu, F-C., and Norton, W.T., 1990a
 Biochemical and immunocytochemical changes in glial fibrillary acidic protein after stab wounds
Brain Res., 524: 64-71
- Hozumi, I., Aquino, D.A., and Norton, W.T., 1990b
 GFAP mRNA levels following stab wounds in rat brain
Brain Res., 534: 291-4
- Hu, Z.Y., Bourreau, E., Jung-Testas, I., Robel, P., and Baulieu, E.E., 1987
 Neurosteroids: Oligodendrocyte mitochondria convert cholesterol to pregnenolone
Proc. Natl. Acad. Sci. USA, 84: 8215-9
- Ikeda, A., Joshii, L., and Mishima, N., 1980
 Animmunohistochemical study of the Müller cells of the chicken retina
Arch. Histol. Jpn., 2: 175-83

- Imamura, M. and Ozawa, E., 1998
 Differential expression of dystrophin isoforms and utrophin during dibutyryl-cAMP-induced morphological differentiation of rat brain astrocytes
Proc. Natl. Acad. Sci. USA, 95: 6139-44
- Isacson, O., Fischer, W., Wictorin, K., Dewbarn, D., and Björklund, A., 1987
 Astroglial response in the excitotoxically lesioned neostriatum and its projection areas in the rat
Neurosci., 20: 1043-56
- Jancsik, V. and Hajós, F., 1998
 Differential distribution of dystrophin in postsynaptic densities of spine synapses
NeuroReport, 9: 2249-51
- Jancsik, V. and Hajós, F., 1999
 The demonstration of immunoreactive dystrophin and its developmental expression in perivascular astrocytes
Brain Res., 831: 200-5
- Jancsik, V., Gerics, B., Hajós, F., Jenei, B., Filliol, D., and Rendon, A. (1996)
 New polyclonal antiserum against microtubule-associated protein 2 (MAP 2); preparation and preliminary characterization
Neurobiol., 4: 241-5
- Janeczko, K., 1989
 Spatiotemporal patterns of the astroglial proliferation in rat brain injured at the postmitotic stages of postnatal development: A combined immunocytochemical and autoradiographic study.
Brain Res., 485: 236-43
- Jessen, K.R. and Mirsky, R., 1983
 Astrocyte-like glia in the peripheral nervous system: An immunohistochemical study of enteric glia
J. Neurosci., 3: 2206-18
- Jordan, C.L., Letinsky, M.S., and Arnold, A.P., 1989
 The role of gonadal hormones in neuromuscular synapse elimination in rats. I. Androgen delays the loss of multiple innervation in the levator ani muscle
J. Neurosci., 9: 229-36
- Jung-Testas, I., Renoir, J.M., Basc, J.M., and Baulieu, E.E., 1991
 Estrogen-inducible progesterone receptor in primary cultures of rat glial cells
Expl. Cell Res., 193, 12-9
- Jung-Testas, I., Renoir, J.M., Bugnard, H., Greene, G.L., and Baulieu, E.E., 1992
 Demonstration of steroid hormone receptors and steroid action in primary cultures of rat glial cells
J. Steroid Biochem. Molec. Biol., 41: 621-31
- Juraska, J.M., 1991
 Sex differences in "cognitive" regions of the rat brain
Psychoneuroendocrin., 16: 105-19
- Juurlink, B.H.J., Fedoroff, S., Hall, C. and Nathaniel, E.J., 1981
 Astrocyte cell lineage. I. Astrocyte progenitor cells in mouse neopallium
J. Comp. Neurol., 200: 375-91
- Kabbadj, K., El-Etr, M., Baulieu, E.E., and Robel, P., 1993
 Pregnenolone metabolism in rodent embryonic neurons and astrocytes
Glia, 7: 170-5

- Kálmán, M., 1993
 Vimentin persists in the mature glia of fish brain
Neurobiol., 1: 47-54
- Kálmán, M. and Hajós, F., 1989
 Distribution of glial fibrillary acidic protein (GFAP)-immunoreactive astrocytes in the rat brain. I. Forebrain
Exp. Brain Res., 78: 147-63
- Kálmán, M., Csillag, A., Schleicher, A., Rind, C., Hajós, F., and Zilles, K., 1993
 Long-term effects of anterograde degeneration on astrogliosis reaction in the rat geniculo-cortical system as revealed by computerized image analysis
Anat. Embryol., 187: 1-7
- Kalnins, V.I., Opas, M., Ahmet, I. and Fedoroff, S., 1984
 Astrocyte cell lineage. IV. Changes in the organization of microfilaments and adhesion patterns during astrocyte differentiation in culture
J. Neurocytol., 13: 867-82
- Karnowsky, M.J., 1965
 A formaldehyde-glutaraldehyde fixative of high osmolality for use in electron microscopy
J. Cell Biol., 27: 137A
- Kawaja, M.D., Flumerfelt, B.A., Hunt, S.P., and Hrycyna, A.W., 1991
 Substance P immunoreactivity in the rat interpeduncular nucleus: synaptic interactions between substance P-positive profiles and choline acetyltransferase- or glutamate decarboxylase-immunoreactive structures
Neurosci., 42: 739-55
- Kimelberg, H.K. and Ransom, B.R., 1986
 Physiological and pathological aspects of astrocytic swelling
 in: Astrocytes: Cell biology and pathology of astrocytes, eds: Fedoroff, S. and Vernadakis, A., Vol. 3, Academic Press, pp. 129-166
- Kis, Z., Horváth, S., Hoyk, Z., Toldi, J., and Párducz, Á., 1999
 Estrogen effects on arcuate neurons in rat. An *in situ* electrophysiological study
NeuroReport, 10, 3649-52
- Kliot, M., Smith, G.M., Siegal, J.D., and Silver, J., 1990
 Astrocyte-polymer implants promote regeneration of dorsal root fibers into adult mammalian spinal cord
Exp. Neurol., 109: 57-69
- Kohama, S.G., Goss, J.R., McNeill, T.H., and Finch, C.E., 1995
 Glial fibrillary acidic protein mRNA increases at proestrus in the arcuate nucleus of mice
Neurosci. Lett., 183 : 164-6
- Kost-Mikucki, S.A. and Oblinger, M.M., 1991
 Changes in glial fibrillary acidic protein mRNA expression after corticospinal axotomy in the adult hamster
J. Neurosci. Res., 28: 182-91
- Krizbai, I.A., Katarova, Z., Szabó, G., Párducz, Á., and Wolff, J.R., 2000
 Modulation of the truncated GAD25 by estrogen in the olfactory bulb of adult rats
NeuroReport, 4: 791-5
- Kurz, E.M., Sengelaub, D.R., and Arnold, A.P., 1986
 Androgens regulate the dendritic length of mammalian motoneurons in adulthood
Science, 232: 395-8

- Landis, D.M.D. and Reese, T.S., 1981
 Membrane structure in mammalian astrocytes: a review of freeze-fracture studies on adult, developing, reactive and cultured astrocytes
J. Exp. Biol., 95: 35-48
- Langub, M.C. and Watson, R.E., 1992
 Estrogen receptor-immunoreactive glia, endothelia, and ependyma in guinea pig preoptic area and median eminence: Electron microscopy
Endocrinol., 130: 364-72
- Laping, N., Teter, B., Anderson, C., Osterburg, H., O'Callaghan, J., Johnson, S., and Finch, C., 1994
 Age-related increase in glial fibrillary acidic protein do not show proportionate changes in transcription rates or DNA methylation in the cerebellar cortex and hippocampus of male rats
J. Neurosci. Res., 39: 710-7
- Latov, N., Nilaver, G., Zimmermann, E.A., Johnson, W.G., Silverman, A.J., Difendine, R. and Cote, L., 1979
 Fibrillary astrocytes proliferate in response to brain injury
Dev. Biol., 72: 381-4
- Laywell, E.D. and Steindler, D.A., 1991
 Boundaries and wounds, glia and glycoconjugates. Cellular and molecular analyses of developmental partitions and adult brain lesions
Ann. N.Y. Acad. Sci., 633: 122-41
- Lazarides, E. and Hubbard, B.D., 1976
 Immunological characterization of the subunit of the 100 Å filaments from muscle cells
Proc. Natl. Acad. Sci. USA, 73: 4344-8
- Le Gal La Salle, G. and Rougon, G., 1992
 The embryonic form of neural cell surface molecule (E-NCAM) in the rat hippocampus and its re-expression on glial cells following kainic acid-induced status epilepticus
J. Neurosci., 12: 872-82
- Le Roux, P.D. and Reh, T.A., 1995
 Independent regulation of primary dendritic and axonal growth by maturing astrocytes *in vitro*.
Neurosci. Lett., 198: 5-8
- Leedy, M.G., Beattie, M.S., and Bresnahan, J.C., 1987
 Testosteroneinduced plasticity of synaptic inputs to adult mammalian motoneurons
Brain Res., 424: 386-90
- Legrand, A. and Alonso, G., 1998
 Pregnenolone reverses the age-dependent accumulation of glial fibrillary acidic protein within astrocytes of specific regions of the rat brain
Brain Res., 802: 125-33
- Lephart, E.D., 1996
 A review of brain aromatase cytochrome P450
Brain Res. Rev., 22: 1-26
- Le-Roux, P.D. and Reh, T.A., 1996
 Reactive astroglia support primary dendritic but not axonal outgrowth from mouse cortical neurons *in vitro*
Exp. Neurol., 137: 49-65

- Leterrier, J.F., Liem, R.K.H., and Shelanski, M.L., 1982
 Interactions between neurofilaments and microtubules-associated proteins: a possible mechanism for intraorganellar bridging
J. Cell Biol., 95: 982-86
- Lidov, H.G., Byers, T.J., Watkins, S.C. and Kunkel, L.M., 1990
 Localization of dystrophin to postsynaptic regions of central nervous system cortical neurons
Nature, 348: 725-8
- Lim, S.S., Sammak, P.J., and Borisy, G.G., 1989
 Progressive and spatially differentiated stability of microtubules in developing neuronal cells
J. Cell Biol., 109: 253-63
- Lin, R.C.S., Polsky, K., and Matesic, D.F., 1993
 Expression of gamma-aminobutyric acid immunoreactivity in reactive astrocytes after ischemia-induced injury in the adult forebrain.
Brain Res., 600: 1-8
- Lindsay R.M., 1986
 Reactive Gliosis. In: Astrocytes. Cell Biology and Pathology of Astrocytes, eds.: Fedoroff, S. and Vernadakis, A., Vol. 3. Academic Press, pp. 231-263
- Ling, E.A. and Leblond, C.P., 1973
 Investigation of glial cells in semithin sections. II. Variations with age in the numbers of the various glial cell types in rat cortex and corpus callosum
J. Comp. Neurol., 149 : 73-81
- Lisman, J.E. and Harris, K.M., 1993
 Quantal analysis and synaptic anatomy – integrating 2 views of hippocampal plasticity
Trends Neurol., 16: 141-7
- Liuzzi, F.J. and Miller, R.H., 1987
 Radially oriented astrocytes i the normal adult rat spinal cord
Brai Res., 403: 385-7
- Lowry, O.H., Rosenbrough, N.J., Farr, A.L. and Randall, R.J., 1951
 Protein measurement with the Folin phenol reagent
Biol. Chem., 193: 265-75
- Ludwig, S.K., Kosek, J.C., and Eng, L.F., 1976
 The topographical distribution of S-100 and GFA proteins in the adult rat brain: An immunohistochemical study using horseradish peroxidase-labeled antibodies
J. Comp. Neurol., 165: 197-208
- Luquin, S., Naftolin, F., and Garcia-Segura, L.M., 1993
 Natural fluctuations and gonadal hormone regulation of astrocyte immunoreactivity in dentate gyrus
J. Neurobiol., 24: 913-4
- MacLusky, N.J. and Naftolin, F., 1981
 Sexual differentiation of the central nervous system
Science, 211: 1294-1303
- Madeira, M.D., Sousa, N. and Paula-Barbosa, M.M., 1991
 Sexual dimorphism in the mossy fibre synapses of the rat hippocampus
Exp. Brain Res., 87: 537-45

- Marchand, E.R., Riley, J.N., and Moore, R.Y., 1980
 Interpeduncular nucleus afferents in the rat
Brain Res., 193: 339-52
- Martini, L. and Melcangi, R.C., 1991
 Androgen metabolism in the brain
J. Steroid Biochem. Mol. Biol., 47: 195-205
- Mathewson, J.A. and Berry, M., 1985
 Observations on the astrocyte response to a cerebral stab wound in adult rats
Brain Res., 327: 61-9
- Matsumoto, A. and Arai, Y., 1980
 Sexual dimorphism in "wiring pattern" in the hypothalamic arcuate nucleus and its modification by neonatal hormone environment
Brain Res., 190: 238-42
- Matsumoto, A. and Arai, Y., 1986
 Male-female differences in synaptic organization of the ventromedial nucleus of the hypothalamus in the rat
Neuroendocrinol., 42: 232-6
- Matus, A., Bernhardt, R., and Hawkes, R., 1982
 Evidence for a specialized cytoskeleton in neuronal dendrites
Biol. of the Cell, 45: 432
- Maxwell, D.S. and Kruger, L., 1965
 The fine structure of astrocytes in the cerebral cortex and their response to focal injury produced by heavy ionizing particles
J. Cell Biol., 25: 141-57
- McClendon, R.E. and Bigner, D.D., 1994
 Immunohistochemistry of the glial fibrillary acidic proteins: basic and applied considerations
Brain Pathol., 4: 221-9
 profnál?
- McEwen, B.S., Lieberburg, I., Chaptal, C., and Krey, L.C., 1977
 Aromatization: important for sexual differentiation of the neonatal rat brain
Horm. Behav., 9: 249-63
- McKeon, R.J., Schreiber, R.C., Rudge, J.S., and Silver, J., 1991
 Reduction of neurite outgrowth in a model of glial scarring following CNS injury is correlated with the expression of inhibitory molecules on reactive astrocytes
J. Neurosci., 11: 3398-411
- Medosch, C.M. and Diamond, M.C., 1982
 Rat occipital cortical synapses after ovariectomy
Exp. Neurol., 75: 120-33
- Melcangi, R.C., Magnaghi, V., Cavarretta, I., Riva, M.A., Piva, F., and Martini, L., 1998
 Effects of steroid hormones on gene expression of glial markers in the central and peripheral nervous system: variations induced by aging
Exp. Geront., 33: 827-36
- Meyer, G., Ferres-Torres, R., and Mas, M., 1978
 The effect of puberty and castration on hippocampal dendritic spines of mice
Brain Res., 155: 108-12

- Middleton, C.A., Brown, A.F., Brown, R.M., Karavanova, I.D., Roberts, D.J., and Vasiliev, J.M., 1989
 The polarization of fibroblasts in early primary cultures is independent of microtubule integrity
J. Cell Sci., 94: 25-32
- Miller, R.H., Abney, E.R., David, S., Ffrench-Constant, C. Lindsay, R., Patel, R., Stone, J., and Raff, M.C., 1986
 Is reactive gliosis a property of a distinct subpopulation of astrocytes?
J. Neurosci., 6: 22-9
- Miyakawa, M. and Arai, Y., 1987
 Synaptic plasticity to estrogen in the lateral septum of the adult male and female rats
Brain Res., 436: 184-8
- Miyata, Y., Hoshi, M., Nisida, E., Minami, Y., and Sakai, H., 1986
 Binding of microtubules-associated protein 2 and tau to the intermediate filament reassembled from neurofilament 70-kDa subunit protein. Its regulation by calmodulin.
J. Biol. Chem., 261: 13026-30
- Mong, J.A. and McCarthy, M. M., 1999
 Steroid-induced developmental plasticity in hypothalamic astrocytes: implications for synaptic patterning
J. Neurobiol., 40: 602-19
- Mong, J.A., Glaser, E., and McCarthy, M.M., 1999
 Gonadal steroids promote glial differentiation and alter neuronal morphology in the developing hypothalamus in a regionally specific manner
J. Neurosci., 19: 1464-72
- Montgomery, D.L., 1994
 Astrocytes: form, functions, and roles in disease
Vet. Pathol., 31: 145-167
- Monzon-Mayor, M., Alvarez, M., Arbelo-Galvan, J., Romero-Aleman, M. Yanes, C. Plaza, M., Rodriguez, J., and Toledano, A., 2000
 Long-term evolution of local, proximal and remote astrocyte responses after diverse nucleus basalis lesioning (an experimental Alzheimer model): GFAP immunocytochemical study
Brain Res., 26: 245-58
- Mosher, K.M., Young, D.A., and Munck, A., 1971
 Evidence for irreversible, actinomycin D-sensitive, and temperature-sensitive steps following binding of cortisol to glucocorticoid receptors and preceding effects on glucose metabolism in rat thymus cells
J. Biol. Chem., 246: 654-9
- Mugnaini, E., 1986
 Cell junctions of astrocytes, ependyma, and related cells in the mammalian central nervous system, with emphasis on the hypothesis of a generalized functional syncytium of supporting cells
 in: *Astrocytes. Development, Morphology, and Regional Specialization of Astrocytes*, eds.: Fedoroff, S. and Vernadakis, A., Academic Press, pp. 329-71
- Mugnaini, E. and Walberg, F., 1964
 Ultrastructure of neuroglia
Erg. Anat. u. Entw. gesch., 37: 193-236
- Murphy, D.D., Cole, N.B., Greeneberger, V., and Segal, M., 1998
 Estradiol increases dendritic spine density by reducing GABA neurotransmission in hippocampal neurons
J. Neurosci., 18: 2550-9

- Murray, M., Zimmer, J., and Raisman, G., 1979
 Quantitative electronmicroscopic evidence for reinnervation in the adult rat interpeduncular nucleus after lesions of the fasciculus retroflexus
J. Comp. Neurol., 187: 447-68
- Nadelhaft, I., 1974
 Microtubule densities and total numbers in selected axons of the crayfish abdominal nerve cord
J. Neurocytol., 3: 73-86
- Naftolin, F., Brown-Grant, K., and Corkers, C.S., 1972
 Plasma and pituitary luteinizing hormone and peripheral plasma oestradiol concentrations in the normal oestrus cycle of the rat and after experimental manipulation of the cycle
J. Endocrin., 53: 17-30
- Naftolin, F., Ryan, K.J., Davies, I.J., Petro, Z., White, R.J., and Wolin, L., 1975
 The formation of estrogen by central neuroendocrine tissue
Recent Prog. Horm. Res., 31: 295-319
- Naftolin, F., Leranth, C., Pérez, J., and Garcia-Segura, L.M., 1993
 Estrogen induces synaptic activity in adult primate neurons
Neuroendocrinol., 57: 935-9
- Nichols, N.R., Osterburg, H.H., Masters, J.N., Millar, S.L., and Finch, C.E., 1990
 Messenger RNA for glial fibrillary acidic protein is decreased in rat brain following acute and chronic corticosterone treatment
Mol. Brain Res., 7: 1-7
- Niquet, J., Ben-Ari, Y., and Reresa, A., 1994
 Glial reaction after seizure induced hippocampal lesion: immunohistochemical characterization of proliferating glial cells
J. Neurocytol., 23: 641-56
- Norenberg, M.D., 1994
 Astrocyte responses to CNS injury
J. Neuropathol. Exp. Neurol., 53: 213-220
- Palade, G.E. and Palay, S.L., 1954
 Electron microscope observations of interneuronal and neuromuscular synapses
Anat. Rec., 118: 335-6
- Pannese, E., 1994
Neurocytology
 Georg Thieme Verlag, Stuttgart, New York
- Párducz, Á. and Garcia-Segura, L.M., 1993
 Sexual differences in the synaptic connectivity in the rat dentate gyrus
Neurosci. Lett., 161: 53-6
- Párducz, Á., Perez, J., and Garcia-Segura, L.M., 1993
 Estradiol induces plasticity of GABAergic synapses in the hypothalamus
Neurosci., 53: 395-401
- Párducz, Á., Szilágyi, N., Hoyk, Z., Naftolin, F., and Garcia-Segura, L.M., 1996
 Neuroplastic changes in the hypothalamic arcuate nucleus: the estradiol effect is accompanied by increased exocytotic activity of neuronal membranes
Cell. Mol. Neurobiol., 16: 259-269

- Patel, A.J., Weir, M.D., Hunt, T., Tabourdin, C.S.M., and Thomas, D.G.T., 1985
 Distribution of glutamine synthetase and glial fibrillary acidic protein and correlations with glutamate decarboxylase in different regions of the rat central nervous system
Brain Res., 331: 1-10
- Paxinos, G. and Watson, C., 1986
The rat brain in stereotaxic coordinates. Academic Press, Sydney, 2nd ed.
- Pearson, J.C., 1988
 Immunocytochemical localization of GABA in the rat interpeduncular nucleus
Proc. 14th Neurosci.Meeting, Toronto, Abs. No.472.15
- Pérez, J., Luquin, S., Naftolin, F., and Garcia-Segura, L.M., 1993
 The role of estradiol and progesterone in phased synaptic remodelling of the rat arcuate nucleus
Brain Res., 608: 38-44
- Peters, A., Feldman, M., and Saldanha, J., 1976
 The projection of the lateral geniculate nucleus to area 17 of the rat cerebral cortex. II. Terminations upon neuronal perikarya and dendritic shafts.
J. Neurocytol., 5: 85-107
- Pfaff, D. and Keiner, M., 1983
 Atlas of estradiol-concentrating cells in the central nervous system of the female rat
J. Comp. Neurol., 151: 121-58
- Pfaff, D.W., 1979
 Theoretical issues regarding hypothalamic control of reproductive behavior
 in *Handbook of the hypothalamus*, eds: Morgane, P.J. and Panksepp. J., Vol. 3 Part B, Marcel Dekker Inc., New York, Basel, pp 241-58
- Poltorak, M., Herranz, A.S., Williams, J. Lauretti, L., and Freed, W.J., 1993
 Effects of frontal cortical lesions on mouse striatum: reorganization of cell recognition molecule, glial fiber, and synaptic protein expression in the dorsomedial striatum
J. Neurosci., 13: 2217-29
- Powell, E.M., Meiners, S., DiProspero, N.A., and Geller, H.M., 1997
 Mechanism of astrocyte-directed neurite guidance
Cell Tissue Res., 290: 385-393
- Privat, A. and Rataboul, P., 1986
 Fibrous and protoplasmic astrocytes. in: *Astrocytes: Cell biology and pathology of astrocytes*, eds: Fedoroff, S. and Vernadakis, A., Vol. 1, Academic Press, pp. 105-130
- Qian, J., Bull, M.S., and Levitt, P., 1992
 Target-derived astroglia regulate axonal outgrowth in a region-specific manner
Dev. Biol., 149: 278-94
- Quinlain, R.A. and Franke, W.W., 1983
 Molecular interactions in intermediate-sized filaments revealed by chemical cross-linking. Heteropolymers of vimentin and glial filament protein in cultured human glioma cells
Eur. J. Bioch., 132: 477-84

- Raff, M.C., Abney, E.R., Cohen, J., Lindsay, R., and Noble, M., 1983
 Two types of astrocytes in cultures of developing rat white matter: differences in morphology, surface gangliosides, and growth characteristics
J. Neurosci., 1289-1300
- Raisman, G. and Field, P.M., 1973
 Sexual dimorphism in the neuropil of the preoptic area of the rat and its dependence on neonatal androgen
Brain Res., 54: 1-29
- Ridet, J.L., Malhotra, S.K., Privat, A., and Gage, F.H., 1997
 Reactive astrocytes: cellular and molecular cues to biological function
Trends Neurosci., 20: 570-7
- Robertson, J.D., 1953
 Ultrastructure of two intervertebrate synapses
Proc. Soc. Exp. Biol. and Med., 82: 219-223
- Roper, S.N., Abraham, L.A., and Streit, W.J., 1997
 Exposure to *in utero* irradiation produces disruption of radial glia in rats
Dev. Neurosci., 19: 521-8
- Rosenfeld, A. and Kak, A.C., 1976
 Digital Picture Processing
 Academic Press, New York
- Rouget, M., Araud, D., Seite, R., Prochiantz, A., and Autillo-Touati, A., 1993
 Astrocyte-regulated synaptogenesis – an *in vitro* ultrastructural study
Neurosci. Lett., 150: 85-8
- Sahenk, Z. and Brady, S.T., 1987
 Axonal tubulin and microtubules: morphologic evidence for stable regions on axonal microtubules.
Cell Motil. Cytoskeleton, 8: 155-64
- Salm, A., Smithson, K.G., and Hatton, G.I., 1985
 Lactation associated redistribution of the glial fibrillary acidic protein within the supraoptic nucleus: an immunocytochemical study
Cell Tiss. Res., 242: 9-15
- Santagati, S., Melcangi, R.C., Celotti, F., Matini, L., and Maggi, A., 1994
 Estrogen receptor is expressed in different types of glial cells in culture
J. Neurochem., 63: 258-64
- Schachner, M., Hedley-White, E.T., Hsu, D.W., Schoonmaker, G., and Bignami, A., 1977
 Ultrastructural localization of glial fibrillary acidic protein in mouse cerebellum by immunoperoxidase labelling
J. Cell Biol., 75: 67-73
- Schiffer, D., Giordana, M.T., Micheli, A., Giaccone, G., Pezzotta, S., and Mauro, A., 1986
 Glial fibrillary acidic protein and vimentin in the experimental glial reaction of the rat brain
Brain Res., 374: 110-8
- Schleicher, A., Zilles, K., and Wree, A., 1986
 A quantitative approach to cytoarchitectonics: software and hardware aspects of a system for the evaluation and analysis of structural inhomogeneities in nervous tissue
J. Neurosci. Meth., 18: 221-35

- Schmidt-Kastner, R., Wietasch, K., Weigel, H., and Eysel, U.T., 1993
 Immunohistochemical staining for glial fibrillary acidic protein (GFAP) after deafferentation or ischemic infarction in rat visual system: features of reactive and damaged astrocytes
Int. J. Devl. Neurosci., 11: 157-74
- Schober, W. and Winkelmann, E., 1977
 Die geniculocorticale Projektion bei Albinoratten
J. Hirnforsch., 18: 1-20
- Schroeter, M., Schiene, K., Kraemer, M., Hagemann, G., Weigel, H., Eysel, U.T., Witte, O.W., and Stoll, G., 1995
 Astroglial responses in photochemically induced focal ischemia of the at cortex
Exp. Brain Res., 106: 1-6
- Schultze, M., 1871
 Allgemeines über die Strukturelemente des Nervensystems
 in: Handbuch der Lehre von den Geweben des Menschen und der Thiere, ed: Stricker, S., pp. 108-136, W. Engelmann, Leipzig
- Shimizu, N. and Hamuro, Y., 1985
 Deposition of glycogen and changes in some enzymes in brain wounds
Nature, 181: 781-2
- Shughrue, P.J. and Merchenthaler, I., 2000
 Estrogen is more than just a "sex hormone": novel sites for estrogen action in the hippocampus and cerebral cortex
Front Neuroendocrinol., 21: 95-101
- Shughrue, P.J., Lane, M.V., and Merchenthaler, I., 1997
 Comparative distribution of estrogen receptor-alpha and -beta mRNA in the rat central nervous system
J. Comp., Neurol., 388: 507-25
- Silver, J., 1994
 Inhibitory molecules ion development and regeneration
J. Neurol., 242: 22-4
- Simerly, R.B. and Swanson, L.W., 1986
 Castration reversibly alters levels of cholecystokinin immunoreactivity within cells of three interconnected sexually dimorphic forebrain nuclei in the rat
Proc. Natl. Acad. Sci. USA, 84: 2087-91
- Sjöstrand, F.S., 1953
 The ultrastructure of the retinal rod synapses of the guinea pig eye
J. Appl. Phys., 24: 1422
- Somogyi, P., Hodgson, A.J., Chubb, I.W., Penke, B., and Erdei, A., 1985
 Antosera to gamma-aminobutyric acid. II. Immunocytochemical application to the central nervous system.
J. Histochem. Cytochem., 33: 240-8
- Sotelo, C. and Palay, S.L., 1971
 Altered axons and axon terminals in the lateral vestibular nucleus of the rat. Possible example of axonal remodeling
Lab. Investig., 25: 653-71

- Steinert, P.M., Jones, J.C.R., and Goldman, R.D., 1984
 Intermediate filaments
J. Cell Biol., 99: 22-7
- Stewart, M., 1993
 Intermediate filament structure and assembly
Curr. Opin. Cell Biol., 5: 3-11
- Stossel, T.P., 1984
 Contribution of actin to the structure of cytoplasmic matrix
J. Cell. Biol., 90: 15-21
- Suárez I., Bodega G., Rubio N., and Fernández B., 1991
 Sexual dimorphism in the distribution of glial fibrillary acidic protein in the supraoptic nucleus of the hamster
J. Anat. Lond., 178: 79-82
- Suárez I., Bodega G., Rubio N., and Fernández B., 1992
 Sexual dimorphism in the hamster cerebellum demonstrated by glial fibrillary acidic protein (GFAP) and vimentin immunoreactivity
Glia, 5: 10-16
- Suess, V. and Pilska, J., 1981
 Identification of the pituicytes as astroglial cells by indirect immunofluorescence staining for the glial fibrillary acidic protein
Brian Res., 221: 27-34
- Tapscot, S.J., Bennett, G.S., Toyama, Y., Kleinbart, F., and Holtzer, H., 1981
 Intermediate filament proteins in the developing chick spinal cord
Dev. Biol., 86: 40-54
- Tetzlaff, W., Bisby, M.A. and Kreutzberg, G.W., 1988
 Changes in cytoskeletal proteins in the rat facial nucleus following axotomy
J. Neurosci., 8: 3181-9
- Theodossis, D.T. and Poulain, D.A., 1993
 Activity-dependent neuronal-glial and synaptic plasticity in the adult mammalian hypothalamus
Neurosci., 57: 501-33
- Tiffany-Castiglioni, E. and Castiglioni, A.J. Jr., 1986
 Astrocytes in epilepsy
 in: Astrocytes: Cell biology and pathology of astrocytes, eds: Fedoroff, S. and Vernadakis, A., Vol. 3, Academic Press, pp. 401-424
- Tobet, S.A. and Fox, T.O., 1989
 Sex- and hormone-dependent antigen immunoreactivity in developing rat hypothalamus
Proc. Acad. Sci. USA, 86: 382-8
- Tombaugh, G.C., Yang, S.H., Swanson, R.A., and Sapolsky, R.M., 1992
 Glucocorticoids exacerbate hypoxic and hypoglycemic hippocampal injury *in vitro*: biochemical correlates and a role of astrocytes
J. Neurochem., 59: 137-46

Torres-Aleman, I., Rejas, M.T., Pons, S., and Garcia-Segura, L.M., 1992
Estradiol promotes cell shape changes and glial fibrillary acidic protein redistribution in hypothalamic astrocytes
in vitro: a neuronal-mediated effect
Glia, 6: 180-7

Tower, D.B., 1988
Development of knowledge about astrocytes since Virchow
in: The Biochemical Pathology of Astrocytes, eds.: Norenberg, M.D., Hertz, L. and Schousboe, A., Alan R. Liss, New York, pp. 3-18

Tower, D.B., 1988
Development of knowledge about astrocytes since Virchow. in: The biochemical Pathology of Astrocytes, eds. Norenberg M.D., Hertz, L. and Schousboe, A., Alan R. Liss, New York, NY, pp. 3-18

Tranque, P.A., Suárez, I., Olmos, G., Fernandez, B., and Garcia-Segura, L.M., 1987
Estradiol-induced redistribution of glial fibrillary acidic protein immunoreactivity in the rat brain
Brain Res., 406: 348-51

Tsukita, S. and Ishikawa, H., 1981
The cytoskeleton in myelinated axons: serial section study
Biochem. Res., 2: 424-37

Vallee, R.B. and Bloom, G.S., 1984
High-molecular-weight microtubule-associated proteins (MAPS)
Mod. Cell Biol., 3: 21-75

Vaughn, J.E., Hinds, P.L., and Skoff, R.P., 1970
Electron microscopic studies of Wallerian degeneration in rat optic nerves. I. The multipotential glia.
J. Comp. Neurol., 140:175-206

Vijayan, V.K. and Cotman, C.W., 1987
Hydrocortisone administration alters glial reaction to enthorhinal lesion in the rat dentate gyrus
Exp. Neurol., 96: 307-20

Voigt, T., 1989
Development of glial cells i the cerebral wall of ferrets: Direct tracing of their transformation from radial glia into astrocytes
J. Comp. Neurol., 289: 74-88

Weiss, P.A. and Mayr, R., 1971
Neuronal organelles in neuroplasmic (“axonal”) flow. II. Neurotubules
Acta Neuropathol. (Berl.) 5. Suppl., 198-206

Wilkin, G.P., Marriot, D.R., and Cholewinski, A.J., 1990
Astrocyte heterogeneity
Trends Neurosci., 13: 43-6

Woolley, C.S. and McEwen, B.S., 1992
Estradiol mediates fluctuation in hippocampal synapse density during the estrus cycle in the adult rat
J. Neurosci., 12: 2549-54

Wree, A., Zilles, K., and Schleicher, A, 1980
Analyse der laminären Strukturen der Area striata mit verschiedenen stereologischen Messmethoden
Verh. Anat. Ges., 74: 727-8

- Xie, D., Schultz, R.L., and Whitter, E.F., 1995
The oligodendroglial reaction to brain stab wounds: an immunohistochemical study
J. Neurocytol., 24: 435-48
- Yen, S.-H. and Fields, K.L., 1981
Antibodies to neurofilament, glial filament, and fibroblast intermediate filament proteins bind to different cell types of the nervous system
J. Cell Biol., 88: 115-26
- Yu, A.C., Lee, Y.L., and Eng, L.F., 1993
Astrogliosis in culture: I. The model and the effect of antisense oligonucleotides on glial fibrillary acidic protein synthesis
J. Neurosci. Res., 34: 295-303
- Zilles, K., 1985
The cortex of the rat. A stereotaxic atlas.
Springer Verlag, Berlin
- Zilles, K., Hajós, F., Kálmán, M., and Schleicher, A., 1991
Mapping of glial fibrillary acidic protein-immunoreactivity in the rat forebrain and mesencephalon by computerized image analysis
J. Comp. Neurol., 308: 340-55